



DFE Filter Element Upgrades



Turbine Oil Coalescence

Contamination Solutions for Power Generation



Varnish Removal & Prevention



Vacuum Dehydration

Fluid Contamination Under Control With Hy-Pro Filtration's Total System Cleanliness Approach

Hy-Pro DFE Rated Filter Elements & Fluid Contamination Equipment



Turbine Oil Conditioner Coalesce & Particulate **Element Upgrades**



Non-Spark Discharge Element Upgrades Prevent Fluid **Degradation & Extend Additive Life**

Hydraulic & Lube Filter **Element Upgrades**



DFE Rated Filter Elements Upgrades for All Filter OEMs



Vacuum Dehydrator- Removes Free & **Dissolved Water, Low ISO Codes**

Coalescers - Rapid Removal of Free Water in High Concentrations from Turbine Oil or Diesel Fuel for Dual Fuel **Combustion Turbines**

Off-Line Lube Oil Conditioning Skids

FCL- Filter Cart for **High Viscosity Fluid** Conditioning & Transfer



DFN- Seal Oil & BFP **Filtration Upgrades**

Compressor, Gearbox, Feed Pump & Seal Oil **Contamination Solutions**

> FSL Side Loop Gearbox Filtration

FPL- Filter Panel Ideal for Compressors



Hy-Dry Desiccant **Reservoir Breathers**



FILTRATION

HY-PRO

www.hyprofiltration.com

www.hyprofiltration.com

Innovative Products Support & Solutions for Combustion & Steam Turbines. Hydro, Nuclear, HRSG, Natural Gas, Aeroderivative, Coal & Co-Generation Plants





CFU - Compact Filter Unit Portable High Effeciency Filtration

Reservoir Accessories

TMRN2 - Active Headspace Dehydrator + Nitrogen Generator Prevents Airborne Water, Particulate & Metal Ions From Entering Reservoir

TMR- Maintains Phosphate Ester Water Levels Below 300ppm









FCLVAW - Portable Filter Cart for AW Hydraulic Oils with Sludge and Varnish Problems



FSA - Fluid Conditioner for Phosphate Ester Ideal for Maintaining Steam Turbine EHC Fire Resistant Fluids



ICB- Dry Ion Charge Bonding Acid Scavenging Elements for Phosphate Ester EHC Systems



SVR - Soluble Varnish Removal System Stops Fail to Start and Unit Trips



ECR - Electrostatic Removes Thermal Degradation Sub-Micron Particles



Varnish, Sludge, Acid and Sub-Micron Particle Removal

Prevent fail to starts and fluid condemnation by eliminating varnish and acid problems. Hy-Pro has developed solutions for all fluid types to address these issues and more. Contact us to find out which solution is right for you and keep your plant running at peak productivity!



FSTO - Turbine Lube Oil Varnish Removal System Prevents Varnish Related Servo Valve Failures

www.hyprofiltration.com



FSLVAW - High Efficiency Particulate Removal (< 0.7m), Water & Insoluble Sludge & Varnish Removal